




Flas-90, Flansze Wygięte 4Sh, R13, R15 (6000 Psi) Odmiana Ciężka

Liczba wariantów: 14



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	DN / NW	Rozmiar cal	D mm	L mm	d mm	Pasujące półkołnierze	Śruby imbusowe
6196.90.3220SH	20	1/2	31.7	60.0	14.0	6098.3213	ISM 8x30
6196.90.4220SH	20	3/4	41.3	60.0	15.0	6098.4220	ISM 10x35
6196.90.4820SH	20	1	47.6	60.0	15.0	6098.4825	ISM 12x45
6196.90.4225SH	25	3/4	41.3	78.0	20.0	6098.4220	ISM 10x35
6196.90.4825SH	25	1	47.6	78.0	20.0	6098.4825	ISM 12x45
6096.90.5425SH	25	1 1/4	54.0	78.0	20.0	6098.5432	ISM 14x50
6196.90.4832SH	32	1	47.6	104.0	25.0	6098.4825	ISM 12x45
6196.90.5432SH	32	1 1/4	54.0	104.0	25.0	6098.5432	ISM 14x50
6196.90.6432SH	32	1 1/2	63.5	104.0	25.0	6098.6440	ISM 12x35
6196.90.5440SH-A	40	1 1/4	54.0	104.0	26.0	6098.5432	ISM 10x35
6196.90.6440SH	40	1 1/2	63.5	104.0	32.0	6098.6440	ISM 16x55
6196.90.8040SH	40	2	79.4	104.0	32.0	6098.8050	ISM 20x65
6196.90.6450SH	50	1 1/2	63.5	123.0	32.5	6098.6440	ISM 16x55

Nr katalogowy	DN / NW	Rozmiar cal	D mm	L mm	d mm	Pasujące półkołnierze	Śruby imbusowe
6196.90.8050SH	50	2	79.4	123.0	40.0	6098.8050	ISM 20x65