




Przyłącze Kątowe Typ: St. 06

Liczba wariantów: **36**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 UNF cal	B mm	B2 mm	C2 mm	CH mm	CH1 mm	Ciśnienie pracy bar
OO-ST060404	6	1/4'	7/16'	7/16'	22,6	26,2	9	11	14	350
OO-ST060406	6	1/4'	7/16'	9/16'	26,9	31,8	10	14	17	350
OO-ST060505	8	5/16'	1/2'	1/2'	24,1	27,7	9	13	16	350
OO-ST060506	8	5/16'	1/2'	9/16'	26,9	31,8	10	14	17	350
OO-ST060604	10	3/8'	9/16'	7/16'	26,9	30,8	9	14	14	350
OO-ST060605	10	3/8'	9/16'	1/2'	26,9	30,8	9	14	16	350
OO-ST060606	10	3/8'	9/16'	9/16'	26,9	31,8	10	14	17	350
OO-ST060608	10	3/8'	9/16'	3/4'	29	36,8	11	19	22	350
OO-ST060610	10	3/8'	9/16'	7/8'	31	43,2	12,7	22	27	350
OO-ST060806	12	1/2'	3/4'	9/16'	31,8	33,5	10	19	17	350
OO-ST060808	12	1/2'	3/4'	3/4'	31,8	36,8	11	19	22	350
OO-ST060810	12	1/2'	3/4'	7/8'	34	43,2	12,7	22	27	350
OO-ST060812	12	1/2'	3/4'	1 1/16'	36,8	49,3	15	27	32	350

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 UNF cal	B mm	B2 mm	C2 mm	CH mm	CH1 mm	Ciśnienie pracy bar
OO-ST061008	14	-	7/8'	3/4'	36,8	39,1	11	22	22	350
OO-ST061008	15	-	7/8'	3/4'	36,8	39,1	11	22	22	250
OO-ST061008	16	5/8'	7/8'	3/4'	36,8	39,1	11	22	22	350
OO-ST061010	14	-	7/8'	7/8'	36,8	43,2	12,7	22	27	350
OO-ST061010	15	-	7/8'	7/8'	36,8	43,2	12,7	22	27	350
OO-ST061010	16	5/8'	7/8'	7/8'	36,8	43,2	12,7	22	27	350
OO-ST061012	14	-	7/8'	11/16'	39,2	49,3	15	27	32	350
OO-ST061012	15	-	7/8'	11/16'	39,2	49,3	15	27	32	350
OO-ST061012	16	5/8'	7/8'	11/16'	39,2	49,3	15	27	32	350
OO-ST061208	18	-	11/16'	3/4'	42,2	41,2	11	27	22	350
OO-ST061208	20	3/4'	11/16'	3/4'	42,2	41,2	11	27	22	350
OO-ST061210	18	-	11/16'	7/8'	42,2	45,2	12,7	27	27	350
OO-ST061210	20	3/4'	11/16'	7/8'	42,2	45,2	12,7	27	27	350
OO-ST061212	18	-	11/16'	11/16'	42,2	49,3	15	27	32	350
OO-ST061212	20	3/4'	11/16'	11/16'	42,2	49,3	15	27	32	350

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 UNF cal	B mm	B2 mm	C2 mm	CH mm	CH1 mm	Ciśnienie pracy bar
00-ST061216	18	-	11/16'	15/16'	44,7	52,1	15	33	38	350
00-ST061216	20	3/4'	11/16'	15/16'	44,7	52,1	15	33	38	350
00-ST061612	25	1'	15/16'	11/16'	46	52,1	15	33	32	280
00-ST061616	25	1'	15/16'	15/16'	46	52,1	15	33	38	280
00-ST061620	25	1'	15/16'	15/8'	52,3	57,2	15	41	50	210
00-ST062020	30	-	15/8'	15/8'	52,3	57,2	15	41	50	210
00-ST062020	32	1 1/4'	15/8'	15/8'	52,3	57,2	15	41	50	210
00-ST062424	38	1 1/2'	17/8'	17/8'	59,2	60,7	15	48	55	140